


MAJORCATIFFANY

ESTETICA CERAMICA




Italian Aesthetics in Ceramics Ceramica Estetica Italiana

MAJORCATIFFANY ESTETICA CERAMICA










Our flawless patterns and textural aesthetics were inspired by the unique nature of Italy and brought to life in our ceramics by activating our artistic impulses.

When it comes to color, shape, and texture, Italy's natural heritage is the perfect inspiration for **Majorca Tiffany.** seas, rocks, and forests are the creative elements that add eternity to our special collections with all their vitality. Each one is more unique than the other and is the work of a 4.5 billion-year-old story.

Inspired by the reflections of thousands of years of Italian natural wonders with their rich beauties that the world favors while creating, **Majorca Tiffany** gives life to her ceramic designs through their eye-catching textures shaped by the fairy-tale love of night and day, and original characters gained by the touches of the seasons.







The story of our inspiring ceramics, which carries the unique art of nature to every area it touches, begins in Sassuolo, Italy, in 1966. While bringing together the flawless aesthetic understanding brought by Italy, the homeland of unique landscapes, to which we are passionately attached, with the ceramic tradition, **Majorca Tiffany** draws attention with its distinctive character since its establishment. It is known more and more in the global market every day, rises with the power of experienced master hands, increases its new investments in the global market by intensifying its innovative steps. And today, it continues to shape the market trends with its ceramics that carry the perfection of Italian aesthetics.





Nature Doesn't Get Tired of Designing Unique Landscapes, We Are Inspired By Its Eternity and Continue to Produce With All Our Strength!

Behind our special collections, which are the reflection of elegance, aesthetics, and nobility with their splendor and beauty, we have a strong team that works nonstop as well as the artistic touches of nature.


A team working with passion to bring the breath of nature to your living spaces From our designers to our sales team, from our production staff to our management staff, each of our employees is a unique mosaic that represents the strong spirit of our family. We are more and more proud of our staff that continues to produce without stopping so that a great effort will reach you with an understanding of superior quality.

High-tech production facility combining traditional craftsmanship with innovation

We make a difference with our state-of-the-art devices in our fully integrated production facilities within the framework of special or stocked production to meet customer needs. We continue to shape market trends with our innovative approach that adds value to our production processes.

Creative combinations that equally good as art galleries in your living spaces For us, each of our ceramics is a unique reflection of Italian aesthetics.

Our projects developed by our designers and architects in cooperation with their innovative vision create harmonious living spaces with splendor that will make all visitors jealous. We are happy to create subjective stories that bring together each unique piece with a noble harmony.



MAJORCATIFFANY

ESTETICA CERAMICA

OUR PRODUCTS

14 SERENITY

16

AMANI BRONZE

18 ARCTECH

20 BLACK CALACATTA

22 CIELO

24
CORTILE

26

DOLOMITI BIANCO

28 LARVIK

30

32 MARBLEFALLS

34 MAREA

36

MARMAROS

38 MILOS

40 NORGAY

42
ONYX LATTE



44 OPOSTO

46
PATCHWORK

48
RADICE

50

52

54 RICCO 56

RIVER IVORY

58 SERA

60

VERA

62

WHITE BEAUTY

64
BELLEZZA

66

CAPRAIA

68

CAPRAIA (BOOKMATCH)

70

CRYSTAL ICE

72

MALAWI


74


MONICA

76

PLIMA GRANITE







Inspired by the Calabria region, which expertly brings nature and architecture together, our product was designed for those who want to achieve a modern, elegant and effective style, suitable for indoor and outdoor spaces.

AMANI BRONZE

Measures


60x120

REC/FL/TP

Our product that carries the harmony of bronze wonders of Bologna, the red city. For those who want to bring the artistic touch of the Neptune Fountain, the symbol of the city, to their living spaces.












ARTECH











Our product collection, which creates luxurious effects with its strong accents and consists of the most elegant selections, brings to life eye-catching shades of gray with Monte Sagro's flawless color palette.









Peramica Estetica Italiana


18


BLACK CALACATTA


□ □ Measures □ □ □ 60x120


Inspired by the splendor of Mont Blanc, and the impressive beauty of Italy, our product makes noble and sophisticated details the focus of the living space.



















Inspired by the breathtaking Sistiana landscapes, our product, which contains sophisticated traces in every detail, creates perfect spaces with its noble and naive charm.





majorcatiffany.com

|22

















1.



DOLOMITI BIANCO






Inspired by the Italian culture that has guided art for centuries, our product is ideal for living spaces that defy time.

LARVIK


「 司 Measures 」 60x120

Our product, which has a high aesthetic dose of arithmetic that will add character to indoor and outdoor spaces, carries the mystical lines of Madonna della Corona in its timeless design.



majorcatiffany.com







Our product is ideal for creating impressive spaces with the fascinating atmospheres of Sepino, the ancient city of Italy, developed with the inseparable aesthetics of architecture and design. $\frac{\underline{\omega}}{\underline{\omega}}$












0

Our product, which puts the natural lines of Tuscany into colors with a delicate approach, was designed for those who want to see the natural elegance of marble in ceramics.


















catching compositions.






34


MARMAROS



Our product, which we designed with our passion for the textures of flawless works that carry our soul to the Renaissance, carries the striking value of the Vatican museum to decoration.







____ REC/EL/T





Our product, which transfers the white perfection of Alberobella, one of the hidden treasures of Italy, to ceramics, brings together the purity of white and the uniqueness of details.











majorcatiffany.com

38




NORGAY

「 司 Measures ピ コ 60x120


Our product, which provides an ideal use by bringing minimal and simple aesthetics to calm and spacious spaces, carries the sophisticated details of Firenze.







ONYX LATTE






Our product, reflecting the undiscovered warmth of Basilicata, and deepening the ancient wisdom with architectural mastery, creates compositions that will add value to architectural projects that are unique and artistically impressive. $\frac{1}{3}$





OPOSTO



Our product, which highlights every area it is used as a masterpiece, combines the functionality of design with Italian aesthetics.








PATCHWORK









Presenting the strong and natural notes of Sicily in an iconic design, our product is ideal for those who want to bring the texture of nature to their living spaces.

RADICE


Measures
60x120
REC/FL/TP

Our product, which reveals the plain and pure beauty with the aesthetics of an artist, brings the charm and timelessness of Rome to architectural projects.













Our product, which carries the cold but impressive, detailed but holistic Santa Magdalena aura, is recommended for durable architectural details that defy time.

51

a Estetica Italiana







RAME

Our product, which carries the unique beauty of nature to the

inspiration, brings the flawless


atmosphere with all its warmth.

floors and walls with all its

nature of Etna to the living



「 司 Measures 」 60x120
















majorcatiffany.com








Our product, which directs the trends with its details that will become the new symbol of extraordinary and impressive decoration, transforms living spaces into a perfect painting with its reflections from the stunning view of Lake Braies.



majorcatiffany.com

RIVER IVORY






















Our product, which combines
Italian nobility with artisanal
techniques, is in the lead role with
its lines that add value to the
luxury style understanding.



majorcatiffany.com

28


Our product, created with the effects of Palazzo Ducal, which carries the reflections of Italy's natural heritage to its architecture, makes a difference in strong, artistic, and admirable projects.



majorcatiffany.com



WHITE BEAUTY



Our product, which carries the holistic beauty of Capo Vaticano, the unique wonder of Italian nature, creates a brand new aura on floors and walls and leaves them under its influence with its reflections.


Our product, which contains Calabria's Santa Maria touching the horizon with all its elegance and splendor in its details, is the first choice of those who want to create spacious and minimally designed spaces.






65







Our product, which strengthens the purity of white with the unique touches of natural details, brings the architecture of Puglia, the hidden treasure of Italy, to your living spaces like a work of art. $\frac{6}{2}$











99


CAPRAI (BOOKMATCH)


Inspired by the distinctive beauties of Vieste with its extraordinary natural wonders, our product shines in the architectural details of unique and luxurious spaces.











Bringing the serenity of the Italian Alps to living spaces by combining the calm tones of blue and white, our product line strengthens the calming effect of nature with a luxury decoration approach.




MALAWI

inspiring effect indoors and

appearance, will bring the

living spaces.



Our product, which creates an outdoors with its natural stone captivating beaches of Italy to your











Synthesizing sophisticated details with a naturalist line, our product conveys the virgin nature of Piemonte with its unique lines.


MONICA



PLIMA GRANITE

□ □ Measures □ □ 120x180

Our product, inspired by the Dolomite mountains, which combines the richness of color with a perfect aesthetic, is designed for those who want to create spaces with a character that reflects the striking harmony of nature.



TECHNICAL REPORT

Instruction	PALLET	THICKNESS	NET WEIGHT	GROSS WEIGHT	PACKAC	SE M²
60 X 120	1	0,8	1.049,98	1.102,50	35	50,40
45X45	1	0,8	1.313,43	1.327,49	44	70,31
120X180	1	0,8	873,13	882,08	21	44,73
30X90	1	0,8	1.454,11	1.471,93	66	105,30

MEACHDEC	20' CONT.	TRUCK
MEASURES	PALLET	PALLET
30X90	19	19
45X45	19	19
60 X 120	25	25
120X180	23	16

30X90 TECHNICAL REPORT				
Test Title	Test Results	Standard Values		
Length & Width (mm)	300 x 900 mm	299,8 – 300,2 mm 899,8 – 900,2 mm		
Thickness (mm)	9,8	8,7 – 9,1		
Straightness of Sides (%)	< %0,2	± %0,3		
Deviation from Squareness (%)	< %0,2	± %0,5		
Edge Curvature (%)	< %0,2	+ %0,5 / - %0,3		
Corner Curvature (%)	< %0,2	± %0,5		
Center Curvature (%)	< %0,2	+ %0,5 / - %0,3		
Surface Quality	First Quality	> %95 Perfect		
Water Absorption	14,00 % - 15,00 %	10 % < E < 20 %		
Breaking Strength (N)	>800 N	> 600 N		
Resistance (N/mm2)	> 20 N/	> 15 N/mm2		
Abrasion Resistance (PEI)	mm2 NPD	As declared		
Thermal Shock Resistance	Resistant	Required		
Crazing Resistance	Resistant	Required		
Frost Resistance	Resistant	Required		
Moisture Expansion (mm/m)	< 0,3	As declared		
Staining Resistance	Class 5	Min. Class 3		
Acid & Alkali Resistance	LA	As declared		
Household Chemicals	А	Min. B		
Dissociation of Cd	< 0,07 mg/dm2	As declared		
Dissociation of Pb	< 0;8 mg/dm2	As declared		
OVERALL RESULT	All test results are positive according to the	norms of TS EN 14411 standards, Annex L.		

45X45 TECHNICAL REPORT				
Test Title	Test Results	Standard Values		
Length & Width (mm)	447 x 447 mm	446,8 – 447,2 mm		
Thickness (mm)	8,2	8,0 – 8,4 mm		
Straightness of Sides (%)	< %0,2	± %0,3		
Deviation from Squareness (%)	< %0,2	± %0,5		
Edge Curvature (%)	< %0,2	+ %0,5 / - %0,3		
Corner Curvature (%)	< %0,2	± %0,5		
Center Curvature (%)	< %0,2	+ %0,5 / - %0,3		
Surface Quality	First Quality	> %95 Perfect		
Water Absorption	4,10 %	3,0 % < E ≤ 6,0 %		
Breaking Strength (N)	1500 N	> 1000 N		
Resistance (N/mm2)	30,0 N/mm2	> 22 N/mm2		
Abrasion Resistance (PEI)	IV	As declared		
Thermal Expansion	< 7,0 X 10-6	As declared		
Thermal Shock Resistance	Resistant	Required		
Crazing Resistance	Resistant	Required		
Frost Resistance	Resistant	Required		
Coefficient of Friction	~ 62,0	As reported		
Moisture Expansion (mm/m)	< 0,3	As declared		
Impact Resistance	Resistant	Required		
Staining Resistance	Class 5	Min. Class 3		
Acid & Alkali Resistance	LA	As declared		
Household Chemicals	А	Min. B		
Dissociation of Cd	< 0,07 mg/dm2	As declared		
Dissociation of Pb	< 0;8 mg/dm2	As declared		
OVERALL RESULT	All test results are positive according to	the norms of TS EN 14411 standards, Annex J.		

80

TECHNICAL REPORT

60X120 LAPPATO TECHNICAL REPORT Test Method Test Title Test Results Requirements 1195 ±1,0 mm for 1195 mm side \pm 2,0 mm Length & Width (mm) for 600 mm side $\pm 2,0$ mm EN ISO 10545-2 600 ±1,0 mm for 297 mm side \pm 1,5 mm 297 ± 1,0 mm Thickness (mm) 8,8 mm (±0,3) EN ISO 10545-2 ±%5,0 Straightness of Sides (%) EN ISO 10545-2 < %0,2 ± %0,5 Rectangularity (%) ± %0,6 EN ISO 10545-2 < %0,2 EN ISO 10545-2 Edge Curvature (%) < %0,2 ± %0,5 Corner Curvature (%) EN ISO 10545-2 < %0,2 ± %0,5 EN ISO 10545-2 Center Curvature (%) ± %0,5 < %0,2 Small Colour Differences First Quality EN ISO 10545-16 > %95 Perfect EN ISO 10545-3 Water Absorption < 0,1 % ≤ 0,5 % Breaking Strength (N) EN ISO 10545-4 > 2400N > 1300 N EN ISO 10545-4 Bending Strength (N / mm²) 51 N/mm² 35 N/mm² Scratch Resistance (Mohs) As Declared EN 101 5 As Declared DIN EN ISO 2813 Glossiness (60°) Min. 90 gloss Coeff. Of Thermal Expansion As Declared EN ISO 10545-8 < 9,0 X 10⁻⁶ EN ISO 10545-9 Thermal Shock Resistance Resistant Required Crazing Resistance Resistant Required EN ISO 10545-11 Frost Resistance Resistant Required EN ISO 10545-12 As declared EN ISO 10545-10 Moisture Expansion (mm/m) < 0,3 Staining Resistance Class 5 Min. Class 3 EN ISO 10545-14 Acid & Alkali Resistance GLB As declared EN ISO 10545-13 Household Chemicals GB Min. GB EN ISO 10545-13 Release of Cadmium < 0,005 mg/dm2 As Declared EN ISO 10545-15 Release of Lead As Declared EN ISO 10545-15 < 0,005 mg/dm2 **OVERALL RESULT** All test results are positive according to the norms of TS EN 14411 (ISO 13006) standards, Annex G.

60X120 SEMI LAPPATO TECHNICAL REPORT				
Test Title	Test Results	Requirements	Test Method	
	1195 ±1,0 mm	for 1195 mm side ± 2,0 mm for 600 mm side ± 2,0 mm	EN ISO 10545-2	
Length & Width (mm)	600 ± 1,0 mm	for 297 mm side \pm 1,5 mm		
	297 ± 1,0 mm			
Thickness (mm)	8,8 mm (±0,3)	±%5,0	EN ISO 10545-2	
Straightness of Sides (%)	< %0,2	± %0,5	EN ISO 10545-2	
Rectangularity (%)	< %0,2	±%0,6	EN ISO 10545-2	
Edge Curvature (%)	< %0,2	± %0,5	EN ISO 10545-2	
Corner Curvature (%)	< %0,2	± %0,5	EN ISO 10545-2	
Center Curvature (%)	< %0,2	± %0,5	EN ISO 10545-2	
Small Colour Differences	> %95 perfect	> %95 perfect	EN ISO 10545-16	
Water Absorption	< 0,1 %	£ 0,5 %	EN ISO 10545-3	
Breaking Strength (N)	> 2400N	> 1300N	EN ISO 10545-4	
Bending Strength (N / mm²)	51 N/mm²	35 N/mm²	EN ISO 10545-4	
Abrasion Resistance (PEI) (only for matt surfaces)	As Declared	As Declared	EN ISO 10545-7	
Coeff. Of Thermal Expansion	< 9,0 x 10-6	As Declared	EN ISO 10545-8	
Thermal Shock Resistance	Resistant	Required	EN ISO 10545-9	
Crazing Resistance	Resistant	Required	EN ISO 10545-11	
Frost Resistance	Resistant	Required	EN ISO 10545-12	
Slippery Resistance	Matt: As Declared Semi Lap	As Declared	DIN 51130:20045	
Pendulum Test	Mat. As Declared Semi Lap	As Declared	BS 7679: Parts1-3, 2002 (With Four S Rubber)	
Moisture Expansion (mm/m)	< 0,3	As Declared	EN ISO 10545-10	
Staining Resistance	Class 5	Min. Class 3	EN ISO 10545-14	
Acid & Alkali Resistance	GLA	As Declared	EN ISO 10545-13	
Household Chemicals	GA	Min. GB	EN ISO 10545-13	
Release of Cadmium	< 0,005 mg/dm2	As Declared	EN ISO 10545-15	
Release of Lead	< 0,005 mg/dm2	As Declared	EN ISO 10545-15	

TECHNICAL REPORT

120X180 TECHNICAL REPORT				
Test Title	Test Results	Requirements		
Length & Width (mm)	1195x1785 mm	1194,5 – 1195,5 mm 1784,5 – 1785,5 mm		
Thickness (mm)	8,0	7,8 – 8,2		
Straightness of Sides (%)	< %0,1	± %0,5		
Rectangularity (%)	< %0,1	± %0,6		
Edge Curvature (%)	< %0,2	± %0,5		
Corner Curvature (%)	< %0,1	± %0,5		
Center Curvature (%)	< %0,2	± %0,5		
Small Colour Differences	First Choice	> %95 Perfect		
Water Absorption	< 0,1 %	± 0,5 %		
Breaking Strength (N)	2050 N	> 1300 N		
Modulus of Rupture (N/mm2)	44,0 N/mm2	> 35 N/mm2		
Abrasion Resistance (PEI)	Min:II	As Declared		
Coeff. Of T hermal Expansion	< 7,0 x 10-6	As Declared		
T hermal Shock Resistance	Resistant	Required		
Crazing Resistance	Resistant	Required		
Frost Resistance	Resistant	Available		
Coefficient of Friction (μ)	62,0	As Reported		
Moisture Expansion (mm/m)	< 0,3	As Declared		
Impact Resistance	Resistant	As Declared		
Staining Resistance	Class 5	Min. Class 3		
Acid & Alkali Resistance	LA	As Declared		
Household Chemicals	А	Min. B		
Release of Cadmium	< 0,07 m g/dm 2	As Declared		
Release of Lead	< 0;8 m g/dm 2	As Declared		
OVERALL RESULT	All test results are positive according to the norm s of ISO 13006 and EN 14411 s tandards, Annex G.			

GRADES OF APPEARANCE DIFFERENCES



SAMEAPPEARANCE



SLIGHT DIFFERENCE



SIGNIFICANIDIFFERENCE



RANDOM DIFFERENCE

The technical features that express the appearance differences (in terms of texture, color, tone, and design) of the tiles in the same production lot with the CTDA value are evaluated in four different criteria.

WEAR RESISTANCE OF FLOOR TILES



IOW-INTENSIVETRAFFIC



MEDIUM- INTENSIVE TRAFFIC



INIENSIVEIRAFFIC



VERY INTENSIVE TRAFFIC

LOW-INTENSIVE TRAFFIC: These are the tiles used on floors that are closed to abrasive external factors and are walked around with soft shoes. It is not suitable for areas that will be exposed to medium-intensive traffic such as the living room, kitchen, entrance, and stairs.

MEDIUM-INTENSIVE TRAFFIC: These are the tiles used in places where the movement intensity is medium-intensive and protected from abrasive materials such as sand. It can be used in the whole house such as corridors, kitchens, balconies, terraces, and in offices where there is not much traffic in hotel rooms.

INTENSIVE TRAFFIC: These are the tiles used in areas where the movement intensity is high and in constant contact with the outside. It can be used in places such as shops, hotels, restaurants, bars, schools and offices. **VERY INTENSIVE TRAFFIC:** It is suitable for use indoors and outdoors where the traffic is extremely intensive.



WALL TILE



FLOOR TILE



PORCELAIN



SHINY



OPAQUE



SATIN



RECTIFIED



FULL LAPPATO



SEMI LAPPATO





SENSITIVE TO ACIDS



TSE - CERTIFICATE OF CONFORMITY TO DOUBLE STAR CERTIFICATE



EN 14411 - CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



ISO 9001 - QUALITY MANAGEMENT SYSTEMS CERTIFICATE



OHSAS 18001 - OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEMS CERTIFICATE



ISO 14001 - ENVIRONMENTAL MANAGEMENT SYSTEMS CERTIFICATE



ISO 27001 - INFORMATION SECURITY MANAGEMENT SYSTEMS CERTIFICATE



CE - DECLARATION OF CONFORMITY



AEO - AUTHORIZED LIABILITY STATUS CERTIFICATE

A'DESIGN AWARD



















IDA DESIGN AWARDS











IDA DESIGN AWARDS

ELLE DECORATION INTERNATONAL DESIGN AWARDS



RAF AWARD



REDDOT DESIGN AWARD



reddot design award winner 2008



Italian Aesthetics in Ceramics Ceramica Estetica Italiana

Viz Radici İn Piano, 590 41049 Sassuolo (MO) Italy

T: +90 530 576 32 10

majorcatiffany.com



Please read the code to review our website.